

45


YEARS OF RELIABILITY
SINCE 1975.



Half Pipe Sleeve



Internally Coated Sleeve



Repair Clamp



GALVANIZED WALL SLEEVES



Wall penetration sleeves provide a corrosion-resistant sealing surface for pipes penetrating floors, walls, foundation, or any concrete barrier.

Pipe Wall Sleeves are an option to create a hole penetration in a concrete wall. They are placed into the frame before pouring, and leave a clean hole. A water stop ring is provided. The Wall Sleeves have pipes and conduit running through them that can be sealed with the RELI GALVANIZED SLEEVE product.

FEATURES AND BENEFITS

- Steel Wall Sleeves available in Painted (Model WS) or Galvanized (Model WSG)
- 2" (50.8 mm) Steel Collar (water-stop)
- Continuous Weld-Bead on both sides of collar (water-stop)
- May be order to any length.
- Special order diameters and schedule pipe available on request

MATERIAL

- API 5L Gr B, X42, X46, X52, X56, X 60, X 65, X70 - PSL 1 - PSL2
- ASTM A106 GR B / 53 GR B
- ASTM A 312 TP 304 / 316

SIZE :- 1" TO 100"



HEAD OFFICE :

C-16, Anand Bhuvan, 163/165, V. P. Road, Mumbai - 400 004.

Maharashtra, India.

Phone : +91 22 43431313 (25 Lines)

CORPORATE OFFICE :

29-B, Nakoda Bhavan, Sindhi Lane, Mumbai - 400 004.

Fax : +91 22 23859458

WORKS :

Plot No. F-8/4, Patalganga Industrial Area, Chavane, Panvel, Raigad,

Maharashtra - 410220.

(50 kms from Sea Port and 100 kms from Airport.)

sales@relisleeve.com / www.relisleeve.com